




1 Sicherheit Security Securité Sicurezza Seguridad Veiligheid Bezpieczeństwo Securitate

AFRISO-EURO-INDEX GmbH








Lindenstr. 20
74363 Güglingen



















Tel: +49 7135 102- 0
Fax: +49 7135 102-147


info@afriso.com
www.afriso.com






2 Produkt Product Produit Producto Prodotto Product Produkt Produs

	Art. No.	 Ø	 min. °C	 max. °C	 ≤ 2h	 bar min	 bar max	
	77700	A - G 3/8 B - R 3/8	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77706	A - G 3/8 B - R 1/2	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77710	G 3/8	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77752	G 1/2	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77766	G 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
	77761	G 1/2	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
	77729	G 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
	77730	A - G 3/8 B - R 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar	
	77753	R 1/2 DIN 3858	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar	
	77900	G 3/8	≥ -20 °C	≤ 150 °C	≤ 170 °C	≥ 0,2 bar	≤ 6 bar	
	77996	G 3/8	≥ -20 °C	≤ 150 °C	≤ 170 °C	≥ 0,2 bar	≤ 6 bar	






4 Betrieb Operation Service Operación Operazione Bedrijf Eksploatacja Operăție



5 Wartung / Störungen Maintenance / malfunctions Maintenance / dérangements Mantenimiento / errores Manutenzione / errores Onderhoud / storingen Konserwacja / defeci Țreținerea / defecțiunile





AFRISO

900.000.0508



05.2024.0